Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030120713"	US-PGPUB; USPAT	OR	OFF	2005/05/10 13:24
L2	12	(parent or child$3) near (process or thread or task) with ((state adj information) or checkpoint$3) and (((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L3	37	((parent and child$3) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) near3 (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L4	26	((parent and child) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3) near3 (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L5	26	((parent and child$3) or (first and second)) near (process or thread or task) near3 (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L6	51	(parent or child$3) near (process or thread or task) near3 (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37

L7	42	L6 not L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L8	36	L7 not L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:37
L9	36	L8 not L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:46
L13	1	(L8 not L4) and @py>"2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 13:49
S3	4	(process adj monitor$4) same (fork or create) same parent same child	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:15
S4	155	(process adj monitor$4) same (fork or create) and (first and second and third)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:29
S5	154	(computer or processor or software or application) and (process adj monitor$4) same (fork or create) and first and second and third	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:06
S6	5	(computer or processor or software or application) and (process adj monitor$4) same (fork or create) and ((first and second and third) adj process)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 13:31
S18	4	(parent or child) near (process or thread or task) with (fork$4 or creat$3 or spawn$3) same ((kill$3 or death or die? or dead or terminat$3 or stop or end$3) adj (execut$3 or run or running)) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 16:34

S21	95	(child adj3 becom$3 adj3 parent) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:10
S22	2	(child adj3 becom$3 adj3 parent) with (process or thread or task) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:15
S33	116	((parent and child) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 14:32
S34	25	((parent and child) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3) near3 (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:46
S38	5	(child near2 monitor near2 parent) near (process or thread or task) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 11:42
S40	61	(child adj2 becom$3 adj2 parent) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/10 12:20
S45	27	((parent and child) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3) and (operating adj system) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:53

S49	35	((parent and child$3) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) near3 (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 15:45
S50	25	((parent and child) or (first and second)) near (process or thread or task) with (fork$4 or creat$3 or spawn$3 or generat$3) near3 (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 08:49
S54	26	((parent and child$3) or (first and second)) near (process or thread or task) near3 (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:33
S56	50	(parent or child$3) near (process or thread or task) near3 (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 10:49
S57	41	S56 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:37
S58	35	S57 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:37

S59	35	S58 not S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 09:37
S60	52	(parent or child$3) near (process or thread or task) near3 (fork$4 or creat$3 or spawn$3 or generat$3 or launch or instantiat$4 or initiat$3) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3 or abort$4) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 11:15
S61	83	((parent or initial or root or first) and child$3) near (process or thread or task) with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or suspend$3 or abort$4) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 11:21
S64	45	S61 not S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 11:22
S70	39	(process with monitor$4) same (child$4 adj3 (poll$3 or query$3 or monitor$4)) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 13:39
S71	22	(process with monitor$4) same (child$4 adj2 (poll$3 or query$3 or monitor$4)) and ((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 14:33
S75	17	(process or task or thread$4) same (child$4 adj3 (poll$3 or query$3 or monitor$4) adj3 (parent or root or initial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:31
S77	47	(process or task or thread$4) same (child$4 near3 (poll$3 or query$3 or monitor$4) near3 (parent or root or initial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:32

S78	30	S77 not S75	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:32
S80	4	(child near (discover$3 or detect)) same parent with (kill$3 or death or die or dead or stop$4 or end$3 or terminat$3 or abort$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 15:57
S81	3	(parent or child) near (process or thread or task) with (fork$4 or creat$3 or spawn$3) same defunct	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/13 17:08
S82	2	"20020087916"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:15
S86	32	((parent and child$3) or (first and second)) near (process or thread or task) with ((state adj information) or checkpoint$3) and (((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 15:50
S88	12	(parent or child$3) near (process or thread or task) with ((state adj information) or checkpoint$3) and (((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 16:30
S91	24	(borking or bork or borked) same (process or thread) and (((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:19
S94	16	(bork$2) with (process or thread) and (((@ad<"20011220") or (@prad<"20011220") or (@rlad<"20011220"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:20
S97	3	(bork$3) same (fork$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 09:22

| S98 | 47 | (bork$3) and (fork$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/04/27 09:22 |